

PVC Pipe



Nominal Outside Diameter (Nominal Size, in mm)	CLASS	Outside Diameter (mm)		Wall Thicknes. (mm)		Selfit	
		Min	Max	Min	Max	Cat No.	Packa
90	CLASS 1, 2.5 KG/CM2	90	90	1.3	1.7	1011990921101	6 MTR
110	CLASS 1, 2.5 KG/CM2	110	110	1.6	2	1011110921102	6 MTR
110	CLASS 1, 2.5 KG/CM2	110	110	1.6	2	1011110921101	5 MTR
140	CLASS 1, 2.5 KG/CM2	140	141	2	2.4	1011140921100	6 MTR
160	CLASS 1, 2.5 KG/CM2	160	161	2.3	2.8	1011160921101	6 MTR
180	CLASS 1, 2.5 KG/CM2	180	181	2.6	3.1	1011180921100	6 MTR
200	CLASS 1, 2.5 KG/CM2	200	201	2.9	3.4	1011200921100	6 MTR
225	CLASS 1, 2.5 KG/CM2	225	226	3.3	3.9	1011225921100	6 MTR
250	CLASS 1, 2.5 KG/CM2	250	251	3.6	4.2	1011250921100	6 MTR
280	CLASS 1, 2.5 KG/CM2	280	281	4.1	4.8	1011280921100	6 MTR

315	CLASS 1, 2.5 KG/CM2	315	316	4.6	5.3	1011315921100	6 MTR
355	CLASS 1, 2.5 KG/CM2	355	356	5.1	5.9	1011355921100	6 MTR
400	CLASS 1, 2.5 KG/CM2	400	401	5.8	6.7	1011400921100	6 MTR
63	CLASS 2, 4 KG/CM2	63	63	1.5	1.9	1011963941101	5MTR
90	CLASS 2, 4 KG/CM2	90	90	2.1	2.6	1011990941100	5MTR
110	CLASS 2, 4 KG/CM2	110	110	2.5	3	1011110941100	5MTR
63	CLASS 2, 4 KG/CM2	63	63	1.5	1.9	1011963941104	6 MTR
75	CLASS 2, 4 KG/CM2	75	75	1.8	2.2	1011975941103	6 MTR
90	CLASS 2, 4 KG/CM2	90	90	2.1	2.6	1011990941103	6 MTR
110	CLASS 2, 4 KG/CM2	110	110	2.5	3	1011110941102	6 MTR
140	CLASS 2, 4 KG/CM2	140	141	3.2	3.8	1011140941101	6 MTR
160	CLASS 2, 4 KG/CM2	160	161	3.7	4.3	1011160941101	6 MTR
180	CLASS 2, 4 KG/CM2	180	181	4.2	4.9	1011180941101	6 MTR
200	CLASS 2, 4 KG/CM2	200	201	4.6	5.3	1011200941100	6 MTR
225	CLASS 2, 4 KG/CM2	225	226	5.2	6	1011225941100	6 MTR

250	CLASS 2, 4 KG/CM2	250	251	5.7	6.5	1011250941100	6 MTR
280	CLASS 2, 4 KG/CM2	280	281	6.4	7.4	1011280941100	6 MTR
315	CLASS 2, 4 KG/CM2	315	316	7.2	8.3	1011315941100	6 MTR
355	CLASS 2, 4 KG/CM2	355	356	8.1	9.4	1011355941100	6 MTR
400	CLASS 2, 4 KG/CM2	400	401	9.1	10.5	1011400941100	6 MTR
40	CLASS 3, 6 KG/CM2	40	40	1.4	1.8	1011940961100	5 MTR
50	CLASS 3, 6 KG/CM2	50	50	1.7	2.1	1011950961100	5 MTR
40	CLASS 3, 6 KG/CM2	40	40	1.4	1.8	1011940961101	6 MTR
50	CLASS 3, 6 KG/CM2	50	50	1.7	2.1	1011950961101	6 MTR
63	CLASS 3, 6 KG/CM2	63	63	2.2	2.7	1011963961103	6 MTR
75	CLASS 3, 6 KG/CM2	75	75	2.6	3.1	1011975961100	6 MTR
90	CLASS 3, 6 KG/CM2	90	90	3.1	3.7	1011990961101	6 MTR
110	CLASS 3, 6 KG/CM2	110	110	3.7	4.3	1011110961102	6 MTR
125	CLASS 3, 6 KG/CM2	125	125	4.3	5	1011125961100	6 MTR
140	CLASS 3, 6 KG/CM2	140	141	4.8	5.5	1011140961101	6 MTR


160	CLASS 3, 6 KG/CM2	160	161	5.4	6.2	1011160961102	6 MTR
180	CLASS 3, 6 KG/CM2	180	181	6.1	7.1	1011180961103	6 MTR
200	CLASS 3, 6 KG/CM2	200	201	6.8	7.9	1011200961102	6 MTR
225	CLASS 3, 6 KG/CM2	225	226	7.6	8.8	1011225961100	6 MTR
250	CLASS 3, 6 KG/CM2	250	251	8.5	9.8	1011250961100	6 MTR
280	CLASS 3, 6 KG/CM2	280	281	9.5	11	1011280961100	6 MTR
315	CLASS 3, 6 KG/CM2	315	316	10.7	12.4	1011315961100	6 MTR
355	CLASS 3, 6 KG/CM2	355	356	12	13.8	1011355961100	6 MTR
400	CLASS 3, 6 KG/CM2	400	401	13.5	15.6	1011400961100	6 MTR
25	CLASS 4, 8 KG/CM2	25	25	1.2	1.6	1011925981100	3 MTR
25	CLASS 4, 8 KG/CM2	25	25	1.2	1.6	1011925981101	5 MTR
32	CLASS 4, 8 KG/CM2	32	32	1.5	1.9	1011932981101	5 MTR
25	CLASS 4, 8 KG/CM2	25	25	1.2	1.6	1011925981102	6 MTR
32	CLASS 4, 8 KG/CM2	32	32	1.5	1.9	1011932981102	6 MTR
110	CLASS 4, 8 KG/CM2	110	110	4.9	5.6	1011110981100	6 MTR

140	CLASS 4, 8 KG/CM2	140	141	6.3	7.3	1011140981100	6 MTR
160	CLASS 4, 8 KG/CM2	160	161	7.2	8.3	1011160981100	6 MTR
200	CLASS 4, 8 KG/CM2	200	201	8.9	10.3	1011200981100	6 MTR
250	CLASS 4, 8 KG/CM2	250	251	11.2	12.9	1011250981100	6 MTR
280	CLASS 4, 8 KG/CM2	280	281	12.5	14.4	1011280981100	6 MTR
315	CLASS 4, 8 KG/CM2	315	316	14	16.1	1011315981100	6 MTR
355	CLASS 4, 8 KG/CM2	355	356	15.8	18.2	1011355981100	6 MTR
400	CLASS 4, 8 KG/CM2	400	401	17.8	20.5	1011400981100	6 MTR
20	CLASS 5, 10 KG/CM2	20	20	1.1	1.5	1010920101100	5 MTR
25	CLASS 5, 10 KG/CM2	25	25	1.4	1.8	1011925101102	5 MTR
32	CLASS 5, 10 KG/CM2	32	32	1.8	2.2	1011932101100	5 MTR
20	CLASS 5, 10 KG/CM2	20	20	1.1	1.5	1010920101101	6 MTR
25	CLASS 5, 10 KG/CM2	25	25	1.4	1.8	1011925101101	6 MTR
32	CLASS 5, 10 KG/CM2	32	32	1.8	2.2	1011932101101	6 MTR
40	CLASS 5, 10 KG/CM2	40	40	2.2	2.7	1011940101100	6 MTR

50	CLASS 5, 10 KG/CM2	50	50	2.8	3.3	1011950101100	6 MTR
63	CLASS 5, 10 KG/CM2	63	63	3.5	4.1	1011963101100	6 MTR
75	CLASS 5, 10 KG/CM2	75	75	4.2	4.9	1011975101100	6 MTR
90	CLASS 5, 10 KG/CM2	90	90	5	5.7	1011990101100	6 MTR
110	CLASS 5, 10 KG/CM2	110	110	6.1	7.1	1011110101100	6 MTR
140	CLASS 5, 10 KG/CM2	140	141	7.7	8.9	1011140101100	6 MTR
160	CLASS 5, 10 KG/CM2	160	161	8.8	10.2	1011160101100	6 MTR
200	CLASS 5, 10 KG/CM2	200	201	11	12.7	1011200101100	6 MTR
225	CLASS 5, 10 KG/CM2	225	226	12.4	14.3	1011225101100	6 MTR
250	CLASS 5, 10 KG/CM2	250	251	13.8	15.9	1011250101100	6 MTR
280	CLASS 5, 10 KG/CM2	280	281	15.4	17.8	1011280101100	6 MTR
315	CLASS 5, 10 KG/CM2	315	316	17.3	19.9	1011315101100	6 MTR
25	CLASS 6, 12.5 KG/CM2	25	25	1.7	2.1	1010925121100	5 MTR
32	CLASS 6, 12.5 KG/CM2	32	32	2.2	2.7	1010932121100	5 MTR
63	CLASS 6, 12.5 KG/CM2	63	63	4.3	5	1011963121100	6 MTR

90	CLASS 6, 12.5 KG/CM2	90	90	6.1	7.1	1011990121100	6 MTR
110	CLASS 6, 12.5 KG/CM2	110	110	7.5	8.7	1011110121100	6 MTR
160	CLASS 6, 12.5 KG/CM2	160	161	10.9	12.6	1011160121100	6 MTR

PVC Coupler



Size / Pr. Rat.	Ø I.D.	SD (min)	L	WT (min)	Cat No.	Package
20/ 10 kg	20.3	16	36.5	3.1	1110920109100	500
25/ 10 kg	25.3	19	43	3	1110925109100	250
32 / 10 kg	32.3	22	48.5	3	1110932109100	200
40 / 10 kg	40.3	26	58	3	1110940969101	100
50 / 10 kg	50.3	31	65.5	3.2	1110950969100	50
63 / 6 kg	63.5	38	80	3.2	1110963969100	50
75 / 6 kg	75.5	44	92	3.2	1110975969100	40
90 / 6 kg	90.5	51	107	3.7	1110990969100	30
110 / 6 kg	110.5	61	128	4.2	1110110969100	15
140 / 6 kg	140.6	76	159	4.8	1110140962100	8
160/4 kg	160.5	86	180	3.2	1110160949100	8
160 / 6 kg	160.7	87	181	5.4	1110160969100	8

PVC Elbow



Size/ Pr. Rat.	H	L	SD (min)	ID	WT(min)	Cat No.	Package
20/10 kg	29.90	29.90	16.00	20.30	2.50	1117920999101	350.00
25/10 kg	47.80	47.80	19.00	25.30	2.80	1117925999100	200.00
32/10 kg	56.20	56.20	22.00	32.50	2.80	1117932999100	125.00
40/10 kg	69.50	69.50	26.00	40.50	3.20	1117940999101	150.00
50/10 kg	85.40	85.40	31.00	50.50	2.80	1117950109100	75.00
63/6 kg	105.00	105.00	38.00	63.50	2.90	1117963999101	50.00
63/10 kg	107.10	107.10	38.00	63.40	4.40	1117963109100	50.00
75/6 kg	123.50	123.50	44.00	75.60	3.10	1117975999101	30.00
75/10 kg	126.00	126.00	44.00	75.40	5.30	1117975109100	25.00
90/6 kg	145.00	145.00	51.00	90.60	3.10	1117990962100	20.00
90/10 kg	148.50	148.50	51.00	90.50	6.30	1117990109100	17.00
110/6 kg	177.00	177.00	61.00	110.70	4.00	1117110999103	10.00
110/10 kg	179.80	179.80	61.00	110.50	7.60	1117110109100	10.00
140/6 kg	230.00	230.00	76.00	140.70	5.50	1117140969100	6.00
160/6 kg	258.00	258.00	86.00	161.00	5.50	1117160991100	4.00
180/6 kg	296.00	296.00	96.00	180.80	7.40	1117180992100	3.00
200/6 kg	327.00	327.00	106.00	201.00	8.40	1117200992100	5.00

PVC Tee



Size/ Pr. Rat.	H	L	SD (min)	ID	WT(min)	Cat No.	Package
20/10 kg	40.7	55	16	20.5	3.7	1113920999100	250
25/10 kg	47	65	19	25.4	3.3	1113925999100	150
32/10 kg	60.5	83.4	22	32.5	3.3	1113932999100	75
40/10 kg	73	98.7	26	40.5	3.9	1113940999101	100
50/10 kg	90	121	31	50.5	4.25	1113950999100	50
63/6 kg	106.6	142	38	63.5	3.5	1113963999101	40
63/10 kg	107.1	142	38	63.4	4.4	1113963109100	30
75/6 kg	124.5	167	44	75.5	3.3	1113975999103	20
75/10 kg	126.0	166	44	75.4	5.3	1113975109100	21
90/6 kg	146.3	195	51	90.5	3.5	1113990999102	15
90/10 kg	148.5	194	51	90.5	6.3	1113990109100	13
110/6 kg	178	234	61	110.5	4.25	1113110999101	8
110/10 kg	179.9	234	61	110.5	7.6	1113110109100	8
140/6 kg	227	297	76	140.5	5.57	1113140999100	4
160/6 kg	256	338	87	160.7	6.75	1113160969100	3
180/6 kg	296	396.7	96	180.8	7.4	1113180962100	4
200/6 kg	327	436.9	106	201	8.4	1113200962100	3

PVC Plain & Thread Endcap



Size/Pressure Rating	I.D.	SD (min)	L	WT (min)	Plain		Threaded	
					Cat No.	package	Cat No.	package
20/10 kg	20.3	16	25.5	3	1111920999100	500	-	-
25/10 kg	25.3	19	26	3	1111925999101	400	-	-
32/10 kg	32.3	22	34	3.2	1111932999100	300	-	-
40/10 kg	40.35	26	34	3.2	1111940999100	100	1111940999101	150
50/10 kg	50.35	31	40	3.8	1111950999100	75	1111950999101	75
63/6 kg	63.5	38	46.5	4.5	1111963999100	100	1111963999102	150
75/6 kg	75.5	44	52.5	5.4	1111975969100	100	1111975999105	75
63/6 kg	90.5	51	61	4.8	1111990999100	50	1111990999102	50
90/6 kg	110.5	61	71	4.8	1111110999100	30	1111110999103	30
110/6 kg	140.5	76	86	5.2	1111140999100	15	-	-
140/6 kg	160.5	86	97	6.1	1111160999100	12	-	-
160/6 kg	180.6	96	193	6.1	1111180961100	10	-	-
200/6 kg	200.6	106	120	7	1111200999101	6	-	-

PV Moulded Tailpiece



Size/Pr. Rat.	Ø I.D.	SD (min)	Ø E	WT	Cat No.	Package
63/6 kg	63.4	38	57.6	3.5	1130963999100	125
75/6 kg	75.5	44	68.8	3.5	1130975999100	100
90/6 kg	90.5	51	83	4.5	1130990999100	50
110/6 kg	110.7	61	101.4	5	1130110999100	20
140/6 kg	140.7	76	133	5.2	1130140999100	15
160/6 kg	161.8	86	153	6	1130160999100	12
180/6 kg	180.8	97	169.9	6.1	1130180991100	8
200/6 kg	200.8	106	193.5	7.1	1130200999100	8

PVC Male Thread Adapter



Size / Pr.Rat.	SD (min)	h (min)	Ø ID	WT (min)	H	TPI	Cat No.	Package
20 x ½" / 10 kg	16	17.4	20.15	3	34.5	14	1118920999100	500
25 x ¾" / 10 kg	19	20	25.15	3	40.5	14	1118925999102	300
32 x 1" / 10 kg	22	20.6	32.3	3	41.6	11	1118932999100	200
40 x 1¼" / 10 kg	26	20.8	40.3	3	52.2	11	1118940999101	100
50 x 1½" / 10 kg	31	22.6	50.2	3.2	64.5	11	1118950999101	75
63 x 2" / 6 kg	38	28.8	63.4	3.2	75.5	11	1118963999101	100
75 x 2½" / 6 kg	44	33.8	75.7	3.2	93.8	11	1118975999100	50
90 x 3" / 6 kg	51	35.5	90.5	3.9	94.8	11	1118990999101	40
110 x 4" / 6 kg	61	40.4	110.4	4.8	108	11	1118110999100	20
140 x 5" / 6 kg	76	47	140.7	5.2	130.8	11	1118140992100	18
160 x 6" / 6 kg	86	47	160.7	6	139	11	1118160992100	9

PVC Female Thread Adapter



Size/ Pr. Rat.	L	B	S.D.	N	Wt.	TPI	Cat No.	Package
20 x ½" /10 kg	34.5	20.5	16	15.4	3.2	14	1119920999100	500
25 x ¾" / 10 kg	40.55	25.3	19	18.3	3.2	14	1119925999101	300
25x 1/2" / 10 kg	38.5	25.3	19	16	3.2	14	1119925999100	300
32 x 1" / 10 kg	43.2	32.4	22	14.9	3.2	11	1119932999102	225
32x3/4" /10 kg	45	32.4	22	18.3	3.2	11	1119932999101	200
32x1/2"/10 kg	41.5	32.4	22	16	3.2	11	1119932999100	200
40 x 1 ½" / 10 kg	53.6	40.5	26	24.4	3.2	11	1119940999100	100
50 X 1 ½" / 10 kg	66	50.5	31	28	3	11	1119950991100	75
63 X 2" / 6 kg	80	63.5	38	34	3	11	1119963961100	50
75 x 2" / 6 kg	80	75.3	44	28	4	11	1119975999100	32

75 X 2 ½" / 6 kg	79.5	75.3	44	29.8	4.5	11	1119975999101	40
90 X 2" / 6 kg	82	90.5	51	28	5	11	1119990999100	40
90 X 2 ½" / 6 kg	85.85	90.5	51	30.5	5	11	1119990999101	40
90 X 3" / 6 kg	99.5	90.8	51	42.3	5	11	1119990961100	40
110 X 4" / 6 kg	130	110.5	61	58	4	11	1119110991100	15
140 X 5" / 6 kg	133	140.7	76	46	5.2	11	1119140991100	12
160 X 6" / 6 kg	142	160.7	86	45	6	11	1119160991100	9

PVC Service Saddle



Size / Pr. Rat.	A	B	H (Top)	H (Bottom)	WT (min)	R	Cat No.	Package
63 x20mm/ 6 kg	109.5	85.9	61.1	38.9	6	27.5	1116963999103	25
63 x25mm/ 6 kg	109.5	85.9	61.1	38.9	6	27.5	1116963999104	25
63 x32mm/ 6 kg	109.5	85.9	61.1	38.9	6	27.5	1116963999105	25
75x20mm / 6 kg	118.3	93	64.8	47.1	6.2	37.5	1116975999105	25
75x25mm / 6 kg	118.3	93	64.8	47.1	6.2	37.5	1116975999106	25
75x32mm / 6 kg	118.3	93	64.8	47.1	6.2	37.5	1116975999107	25
90 x20mm/ 6 kg	136.3	101.3	74.8	51.5	6.4	45	1116990999105	25
90 x25mm/ 6 kg	136.3	101.3	74.8	51.5	6.4	45	1116990999106	25
90 x32mm/ 6 kg	136.3	101.3	74.8	51.5	6.4	45	1116990999107	25
110 x20mm/ 6 kg	158.9	102.1	85.3	62.1	6.4	55	1116110999104	25
110 x25mm/ 6 kg	158.9	102.1	85.3	62.1	6.4	55	1116110999105	25
110 x32mm/ 6 kg	158.9	102.1	85.3	62.1	6.4	55	1116110999106	25
140 x25mm/ 6 kg	188	104	99	76	7	70	1116140999101	25
140 x32mm/ 6 kg	188	104	99	76	7	70	1116140999100	25
140 x40mm/ 6 kg	188	104	99	76	7	70	1116140992100	25
140 x50mm/ 6 kg	188	104	99	76	7	70	1116140999103	25
140 x63mm/ 6 kg	188	104	99	76	7	70	1116140999102	25
160x25mm / 6 kg	208	106	109.5	86	7	80	1116160999101	25
160x32mm / 6 kg	208	106	109.5	86	7	80	1116160999102	25
160x40mm / 6 kg	208	106	109.5	86	7	80	1116160999100	25
160x50mm / 6 kg	208	106	109.5	86	7	80	1116160999104	25
160x63mm / 6 kg	208	106	109.5	86	7	80	1116160999103	25

180x20mm / 6 kg	230	130	128.7	96.8	7.5	90	1116180999100	16
180x25mm / 6 kg	230	130	128.7	96.8	7.5	90	1116180999101	16
180x32mm / 6 kg	230	130	128.7	96.8	7.5	90	1116180999102	16
180x40mm / 6 kg	230	130	128.7	96.8	7.5	90	1116180999103	16
180x50mm / 6 kg	230	130	128.7	96.8	7.5	90	1116180999104	16
180x63mm / 6 kg	230	130	128.7	96.8	7.5	90	1116180999105	16
180x75mm / 6 kg	230	130	128.7	96.8	7.5	90	1116180999106	16
200 x20mm/ 6 kg	250	135	138.7	107.3	8	100	1116200999100	12
200 x25mm/ 6 kg	250	135	138.7	107.3	8	100	1116200999101	12
200 x32mm/ 6 kg	250	135	138.7	107.3	8	100	1116200999102	12
200 x40mm/ 6 kg	250	135	138.7	107.3	8	100	1116200999103	12
200 x50mm/ 6 kg	250	135	138.7	107.3	8	100	1116200999104	12
200 x63mm/ 6 kg	250	135	138.7	107.3	8	100	1116200999105	12
200 x75mm/ 6kg	250	135	138.7	107.3	8	100	1116200999106	12

PVC Reducer



Size/ pr. Rat.	φX	φU	T1 (min)	T2 (min)	L	A	C	Cat No.	Package
25X 20/10 kg	25.3	20.25	3.8	3.4	37.6	17.3	15.6	1112925999100	400
32X 25/10 kg	32.3	25.3	3.5	3.6	47.8	26	19.3	1112932999100	200
40X 32/10 kg	40.4	32.3	4	3.7	59.4	26.5	21.7	1112940999100	100
50X 40/10 kg	50.3	40.4	5	4.7	78.8	31.5	26	1112950999100	50
63X 40/6 kg	63.4	40.4	3.3	3.3	80	41.3	26.5	1112963999102	100
63X 50/6 kg	63.4	50.3	3.3	3.3	85.2	41.3	34.2	1112963999100	100
75X 40/6 kg	75.5	40.4	3.2	3.1	91.5	45.2	28.7	1112975999102	80
75X63 /6 kg	75.7	63.4	3.2	3.3	84	40.8	37.5	1112975999100	75
90X63/6 kg	90.4	63.4	4.3	3.3	95	52.8	41.3	1112990999102	50
90X75 /6 kg	90.4	75.7	4.3	3.7	106	52.8	45.5	1112990999100	40
110X 63/6 kg	110.5	63.3	4	3.2	129	61	38	1112110992100	36
110X 75/6 kg	110.4	75.3	3.2	4.2	119.5	63	43.8	1112110999100	30
110X90 /6 kg	110.4	90.4	4.8	4.2	116	57	51.8	1112110999102	30
140X110/6 kg	140.6	110.5	4.8	3.7	159	76	61	1112140992100	16
160X110/6 kg	160.7	110.4	6.5	5.3	167.1	88.5	59.6	1112160999101	12
160X140/6 kg	160.7	140.6	5.4	4.8	188	86	76	1112160999102	12

PVC Reducing Tee



Size/ Pr. Rat.	H	L	Main S.D. Min.	Branch S.D. Min	Main I.D. Min	Branch I.D. Min	W.T. Min	Cat No.	Package No
50x 40/10 kg	94	121	31	26	50.5	40.5	4.25	1114950962100	50
63x50/ 6 kg	110	142	38	31	63.5	50.5	3.5	1114963962100	40
75x40/6 kg	130	167	44	26	75.5	40.5	3.3	1114975962100	20
75x 50/6 kg	112.5	168	44	31	75.5	50.4	3	1114975962102	25
75x63/6 kg	130	167	44	38	75.5	63.5	3.3	1114975962101	25
90x 63/6 kg	136	196	51	38	90.5	63.5	3.7	1114990962101	20
90x75/6 kg	152	195	51	44	90.5	75.5	3.5	1114990962100	18
110x75/6 kg	185	234	61	44	110.5	75.5	4.25	1114110962100	8
110x90/6 kg	180	234	61	51	110.5	90.5	4.25	1114110991100	8
110x63/6 kg	185	234	61	38	110.5	63.5	4.25	1114110962101	10
160x110/6 kg	227.5	338	87	62	160.7	110.5	6.75	1114160962101	3
160x140/6 kg	242.5	338	87	77	160.7	140.6	6.75		

PVC Reducing Bush



Size / Pr. Rat.	Ø A	Ø B	Ø C	L	W.T.	Cat No.	Package
25 x 20 / 10 kg	20.3	31	24.9	22.5	3.25	1122925999100	600
32 x 25 / 10 kg	25.3	38	31.9	25.5	3.1	1122932999100	400
40 x 32 / 10 kg	32.3	47	39.9	29.5	3.1	1122940999100	150
50 x 40 / 10 kg	40.5	57	49.9	34.5	3.1	1122950999100	75
63 x 50 / 6 mg	50.5	71	62.9	41.5	4.2	1122963999100	50
75 x 40 / 6 kg	40.4	82	74.9	49	4	1122975999100	100
75 x 63 / 6 kg	63.4	82	74.9	49	4	1122975999101	100
90 x 75 / 6 kg	75.4	97.5	89.9	55	7.5	1122990992100	100
110 x 63 / 6 kg	63.4	117	109.9	67	5	1122110999101	40
110 x 75 / 6 kg	75.4	117	109.9	67	5	1122110999100	40
110 x 90 / 6 kg	90.4	117	110.1	54	5	1122110999102	40
160 x 140 / 6 kg	140.5	167	160.2	79	5	1122160999100	20
180 x 140 / 6 kg	140.7	193	180.2	102	6.1	1122180992100	12
180 x 160 / 6 kg	160.7	193	180.2	102	9.9	1122180992101	12
200 x 110 / 6 kg	110.5	214	200.2	111	6.8	1122200992100	10
200 x 140 / 6 kg	140.7	214	200.2	111	6.8	1122200992101	10
200 x 160 / 6 kg	160.7	214	200.2	111	6.8	1122200992102	10
200 x 180 / 6 kg	180.8	214	200.2	111	9.86	1122200992103	10